

Part II. List of Other Arthropod Pheromones and Allomones

Update: April 12, 2025

(C) Other Compounds

These semiochemicals are divided into the following four groups and listed in ascending order of carbon chain length or ring size.





[C-1]	Other: Acyclic compounds	i – xxiii (514 compounds)
[C-2]	Other: True alkaloids	i – xii (229 compounds)
[C-3]	Other: Aromatic compounds	i – ix (167 compounds)
[C-4]	Other: Ring compounds	i – v (101 compounds)

See the database, <https://leipheromone.sakura.ne.jp/mepdb.html>, for more information, such as the IUPAC names, arthropod species names, and research publications




Lepidopteran female sex pheromones and male attractants are listed in **Part I**. Other arthropod pheromones and allomones are listed in **Part II**, which is composed of (A) terpenoid compounds without alkaloids, (B) non-terpene methyl-branched compounds, and (C) other compounds including terpene alkaloids.

[C-1] Other: Acyclic comp. (i)


C1 chain




C2 chain















deanol



acetylcholine




C3 chain




[C-1] Other: Acyclic comp. (ii)


C4 chain





isocrotonic acid




GABA



epilotaustralin




lotaustralin




[C-1] Other: Acyclic comp. (iii)

C5 chain




bark beetle
(F aggregation
phe. ?)



wasp
(alarm phe.)
assassin bug
(sex phe. ?)




butterfly (larva
allomone)




ground beetle,
darkling beetle
(allomone ?)




scarab beetle (M
aggregation phe.)
assassin bug (alarm phe.)
butterfly (larva allomone)




grasshopper
(F. sex phe.)





cockroach
(allomone)




glutamic acid
fruit fly (marking phe.)



leaf beetle (allomone)




cupilure
spider (F sex phe.)




glutathione
fruit fly (marking phe.)


C6 chain




ambrosia beetle
(aggregation phe.)




true bug (allomone ?,
gland secretion)
leaf bug (F sex phe.)




true bug (gland secreiton)
leaf bug (F sex phe.,
M anti-sex phe., alarm
phe., allomone)




true bug (gland secretion)
leaf bug (gland secretion,
F sex phe.)




leaf bug (gland secretion,
alarm phe., F sex phe.)




shield bug (allomone)
leaf bug (F sex phe.)




giant water bug, eed
bug (gland secretion)
stink bug, true bug
(allomone)
leaf bug (F sex phe.)




leaf bug (F sex phe.,
M anti-sex phe.,
alarm phe., allomone)




leaf beetle
(gland secretion)



leaf bug
(F sex phe.)







leaf beetle (allomone)
butterfly (M sex phe. ?)




wasp
(M marking phe.)

[C-1] Other: Acyclic comp. (iv)



















C6 chain



stink bug (alarm phe., aggregation phe., allomone)
lace bug, ant (alarm phe.), true bug (aggregation phe.), giant shield bug, rove beetle (allomone)




caproic acid




[C-1] Other: Acyclic comp. (v)


C7 chain




bark beetle (F aggregation phe.)
fruit fly (M sex phe.)




leaf beetle
(aggregation phe.)




assassin bug
(M sex phe.)




stink bug
(gland secretion)




leaf beetle
(aggregation phe.)




bee
(alarm phe.)




caddis fly
(F sex phe.)




eriocraniid moth (F sex phe.)




ant (gland secretion)




honey bee, ant, ground
beetle (alarm phe.)
caddis fly (F sex phe.)




harvestman
(allomone ?)



stingless bee
(allomone)




gall midge (F sex phe.)




gall midge (F sex phe.)


enanthic acid




ant (trail phe. ?)



seed beetle
(F sex phe.)




longhorn beetle (M aggregation phe.)




[C-1] Other: Acyclic comp. (vi)

C8 chain




[C-1] Other: Acyclic comp. (vii)

C9 chain




[C-1] Other: Acyclic comp. (viii)


C10 chain





termite (trail phe.)



wasp (gland secretion)




wood wasp (M aggregation phe.)



ant (alarm phe., allomone)
thrips (larva alarm phe.)



primitive weevil (F sex phe.)




stingless bee (trail phe.)




honey bee (alarm phe.)
stink bug (allomone,
gland secretion)




longhorn beetle
(M aggregation phe.)




termite (allomone ?)
assassin bug
(alarm phe.?)



pyralid moth (larva
aggregation phe.)
sap beetle (M
aggregation phe.)



burrowing bug,
true bug, jewel
bug, red bug
(allomone), stink bug (aggregation
phe., allomone, alarm phe.,)




stink bug (sex phe.?)

capric acid



ant (trail phe. ?)



hide beetle (F sex phe.)
carrión beetle, thrips
(allomone)



thrips (allomone?)



thrips (allomone ?)




rove beetle
(gland secretion)



bark beetle, stink bug
(aggregation phe.)
seed beetle, stink bug
(M sex phe.)



stink bug
(aggregation phe.)



stink bug (M sex phe.)




seed beetle (M sex phe.)




wasp (F sex phe.)




wasp (F sex phe.)



ant, water beetle
(allomone ?)
ant, bumblebee
(gland secretion)












bee (queen phe.)

















bee (gland secretion,
queen phe.)

[C-1] Other: Acyclic comp. (ix)

C10 chain




C11 chain




[C-1] Other: Acyclic comp. (x)


C12 chain




ant (gland secretion)




termite (trail phe.)




termite (trail phe.)




termite (trail phe., F sex phe.)




termite (trail phe.)




ant (secretion, alarm phe., allomone)
click beetle (F sex phe.), thrips (larva
alarm phe., larva aggregation phe.)




darkling beetle (M sex phe.)




primitive weevil (F sex phe.)




primitive weevil (F sex phe.)




longhorned bee
(M gland secretion)




click beetle (F sex phe.)




click beetle (F sex phe.)




ant (trail phe.)




rove beetle (aphrodisiac phe..
allomone), parasitoid wasp
(M aggregation phe.)




millipede (allomone ?)




sweat bee (gland secretion)




ant (trail phe. ?)
sand fly (oviposition phe.)




thrips (gland secretion)




ant (gland secretion)




cuckoo bee (allomone ?)
fruit fly (M sex phe.)
bark beetle (aggregation phe.)




rove beetle (gland secretion)
hide beetle
(M aggregation phe. ?)




millipede (allomone ?)




hide beetle (M gland secretion)



rove beetle (gland secretion)



ant (allomone)



soldier beetle (allomone ?)


[C-1] Other: Acyclic comp. (xi)

C13 chain



ant (gland secretion,
F sex phe., alarm phe.
allomone)


burrowing bug, jewel bug,
stink bug (gland secretion)
darkling beetle, rove beetle,
true bug, red bug (allomone)




green lacewing, stink bug
(allomone ?)
darkling beetle (M sex phe.)




ant (F sex phe.,
gland secretion)
green lacewing (allomone, alarm phe., gland secretion)
rove beetle (allomone, aphrodisiac phe.)
stink bug (allomone ?)




green lacewing
(gland secretion)




ant (trail phe.)






gall midge (F sex phe.)




gall midge (F sex phe.)
fruit fly (M aggregation phe.)





gall midge (F sex phe.)




gall midge (F sex phe.)




gall midge (F sex phe.)



parasitoid wasp (F sex phe.)




wasp (marking phe. ?)
termite, ant, harvestman (allomone ?)
caddis fly (F sex phe. ?)
fruit fly (M aggregation phe.), ant (secretion)




harvestman (allomone ?)


C14 chain




cockroach (aggregation phe.)




sawfly (F sex phe.)




ant (alarm phe.)
ground beetle, bee (allomone)
parasitoid wasp (F sex phe.)
bumblebee (gland secretion)
thrips (larva aggregation phe.)



termite (F sex phe.)




broad-headed bug
(M aggregation phe.)



longhorned bee (M gland secretion)
















[C-1] Other: Acyclic comp. (xii)

C14 chain
































[C-1] Other: Acyclic comp. (xiii)

C15 chain


























[C-1] Other: Acyclic comp. (xiv)

C16 chain
























[C-1] Other: Acyclic comp. (xv)

C17 chain
















[C-1] Other: Acyclic comp. (xvi)

C18 chain



[C-1] Other: Acyclic comp. (xvii)

C18 chain




[C-1] Other: Acyclic comp. (xviii)


C19 chain



ant (marking phe.)
thrips (gland secretion)




carrion beetle (M sex phe. ?)




mite (alarm phe.?)




ant (gland secretion)




seed beetle (F sex phe.)



darkling beetle (allomone ?)
wasp (M marking phe.)




sawfly (F sex phe.)




termite (trail phe.)


C20 chain




longhorned bee
(F gland secretion)




honey bee (worker alarm phe.)
wasp (M marking phe.)
carpenter bee (gland secretion)




leaf beetle (larva allomone)
fruit fly (M aggregation phe.)




thrips (allomone)



sweat bee (gland secretion)




ant (trail phe.)




pyralid moth (larva trail phe.)


C21 chain




termite (primer phe.)



fruit fly (M aggregation phe.)







rove beetle, plasterer bee (F sex phe.)














erebid moth (M sex phe.)

[C-1] Other: Acyclic comp. (xix)



C22 chain



C23 chain



C24 chain




[C-1] Other: Acyclic comp. (xx)


C25 chain




cuckoo bee (gland secretion)




longhorn beetle, plasterer bee (F sex phe.)



fly, longhorn beetle, mining bee, leaf bug
(F sex phe.), wasp (brood phe.)




fruit fly (F sex phe.)




ladybug (oviposition-deterring phe.)




wasp (F sex phe.)




fruit fly (F sex phe.)




stable fly (M sex phe. ?)




scarab beetle (F cuticular HC)



ant (allomone)





ant (allomone ?)
















[C-1] Other: Acyclic comp. (xxi)

C26 chain




C27 chain




[C-1] Other: Acyclic comp. (xxii)

C28 chain




fruit fly (M sex phe.)




stick insect (F cuticul)


C29 chain




longhorn beetle (F sex phe.)




wood wasp (F sex phe.)





termite (allomone ?), longhorn beetle, flower bug,
mining bee, wood wasp (F sex phe.)




mining bee (F sex phe.)



stable fly (M sex phe.)




parasitoid wasp (F sex phe.)




sawfly (F sex phe.)


C31 chain



stable fly (F sex phe.)




fruit fly (F sex phe.)



parasitoid wasp (F sex phe.)

[C-1] Other: Acyclic comp. (xxiii)


C33 chain



stable fly (F sex phe.)




fruit fly (F sex phe.)



sawfly (F sex phe.)

C34 chain




leaf beetle (sex phe. ?)

C35 chain




fruit fly (F sex phe.)



sawfly (F sex phe.)

C37 chain























fruit fly (F sex phe.)

[C-2] Other: True alkaloids (i)





Aromatic comp.

histamine





[C-2] Other: True alkaloids (ii)






Aromatic comp.



ant (gland secretion)






ant (alarm phe., gland secretion, allomone)
flower wasp (F sex phe.)
wasp (marking phe.)
leaf insect (allomone)




ant (gland secretion)


fruit fly (M sex phe., gland secretion)






ant (gland secretion)





N,N-dimethyluracil methyl nicotinate




ant (trail phe.)




rove beetle (allomone)





rove beetle (allomone)



harvestman (allomone ?)




ant (gland secretion, allomone, trail phe.)
harvestman (allomone ?)



[C-2] Other: True alkaloids (iii)


Aromatic comp.




[C-2] Other: True alkaloids (iv)

Aromatic comp.


quinoline




walking stick
(allomone)



net-winged beetle
(allomone ?)




firefly (allomone)




water beetle (allomone)



$\text{Na-}\alpha\text{-quinaldyl-L-arginine}$



ladybug (allomone)




ant (allomone)



ant (allomone)








[C-2] Other: True alkaloids (v)

C4 ring




[C-2] Other: True alkaloids (vi)


C4 ring




ant (allomone?)




ant (allomone)




ant (allomone?)



ant (allomone)




ant (gland secretion)



ant (gland secretion)


cyclo-Leu-Phe



ant (allomone?)


[C-2] Other: True alkaloids (vii)

C5 ring




[C-2] Other: True alkaloids (viii)

C6 ring




ladybug (allomone ?)


C7 ring




arctiid moth (allomone)




estigmine B




supinine



leaf beetle (allomone?)




arctiid moth, leaf beetle
(allomone)




leaf beetle
(allomone)




butterfly (M sex phe.?)




arctiid moth, leaf beetle (allomone)




arctiid moth, leaf beetle (allomone)




arctiid moth (allomone)




arctiid moth, leaf beetle
(allomone)




arctiid moth, leaf beetle (allomone)
butterfly (M sex phe.?)




arctiid moth (allomone?)




callimorphine



ant (allomone?)




ant (allomone?)



[C-2] Other: True alkaloids (ix)

C7 ring




[C-2] Other: True alkaloids (x)


C8 ring
polyzonimine



millipede (allomone)




ant (allomone ?)




ant (allomone ?)



monomorine I




ant (trail phe.)




ant (allomone ?)



hydrogosedesmine




gosodesmine




millipede (allomone)

8-deoxypumiliotoxin 193H




oribatid mite (allomone ?)

pumiliotoxin 251D




pumiliotoxin 291G




oribatid mite (allomone ?)

indolizidine 223A





euphococcinine





ladybug (allomone)


indolizidine 195G




ant (allomone ?)




ant (allomone ?)



adaline




hyperaspine




ladybug (allomone ?)

[C-2] Other: True alkaloids (xi)


C9 ring




homo-hydrogosodesmine




homo-gosodesmine




calvine



C10 ring




tetraponerine-2







ant (allomone)


tetraponerine-6




C11 ring




cytisine




N-methylcytisine



nitropolyzonamine




spiropyrrolizidine 236



[C-2] Other: True alkaloids (xii)


C12 ring

coccinelline




ladybug
(allomone)

precoccinelline 193C




ladybug, soldier
beetle, oribotriiid
mite (allomone)

hippodamine




ladybug, soldier
beetle, (allomone ?)

myrrhine




ladybug
(allomone)

propyleine




ladybug, soldier
beetle, (allomone)

2-dehydrococcinelline




ladybug
(allomone)

exochomine




ladybug (allomone)

psyllloborine A




isopsyllloborine A




ladybug (allomone ?)

chilocorine A




ladybug (allomone ?)

chilocorine B




ladybug (allomone)

chilocorine D




ladybug (allomone ?)

buzonamine



millipede (allomone)


deoxybuzonamine



millipede (allomone)


C15 ring

lupanine




aphid (allomone ?)


matrine




[C-3] Other: Aromatic comp. (i)




[C-3] Other: Aromatic comp. (ii)




true bug (aggregation phe.), stink bug (M sex phe.)




honey bee (alarm phe.)



saturniid moth (larva allomone)




salicin




salicortin

butterfly (allomone)




tremulacin

butterfly (allomone)




leaf beetle, tiger beetle, saturniid moth, millipede, sawfly, centipede (allomone), bee (alarm phe.), assassin bug (M sex phe.) grasshopper (M aggregation phe.)

p-anisaldehyde




cockroach (allomone ?) green lacewing (M aggregation phe.?)


salicylaldehyde




ground beetle, leaf beetle, creeping water bug, cuckoo bee, butterfly (allomone)




creeping water bug (allomone) ant (gland secretin)




water bug (gland secretion) water beetle, creeping water bug (allomone)




shield bug, pyralid moth, butterfly (M sex phe.) cuckoo bee (marking phe.)




longhorn beetle (allomone ?) acarid mite, dust mite (alarm phe., F sex phe.) oribatid mite (alarm phe., allomone)



acarid mite, oribatid mite (F sex phe.)




non-parasitic mite, oribatid mite (gland secretion)




acarid mite (allomone ?)



[C-3] Other: Aromatic comp. (iii)




water beetle
(allomone ?)
ant (allomone ?,
gland secretion)




scarab beetle
(F sex phe.)





springtail (allomone)




water bug (gland secretion)
creeping water bug, water
beetle (allomone)
bee (queen phe.)





tick (aggregation phe.)
butterfly (allomone,
M anti-aphrodisiac phe.)
dung beetle (allomone)
ant (M aggregation phe. ?)






methyl antranilate








ant (alarm phe., trail phe.,
M aggregation phe. ?)













ant (primer phe., alarm phe.,
trail phe., queen sex phe.,
allomone, M aggregation phe.)
parasitoid wasp (F sex phe.)
ground beetle, darkling beetle
(allomone)




[C-3] Other: Aromatic comp. (iv)




grasshopper, crane fly, blowfly, saturniid, butterfly, cockroach (cuticle)




[C-3] Other: Aromatic comp. (v)





[C-3] Other: Aromatic comp. (vi)




butterfly
(gland secretion)




millipede (allomone)




ant (gland secretion)





harvestman
(allomone ?)




ant (trail phe.)




ant (M sex phe. ?)




ant (M sex phe. ?)




ant (M sex phe. ?)




wasp (trail phe. ?)
stingless bee
(gland secretion)





net-winged beetle
(allomone ?)




tortricid moth (M sex phe.)




ant (gland secretion)




cave cricket
(M gland secretion)



ant (alarm phe. ?)




























millipede (allomone)







termite (aggregation phe.)





[C-3] Other: Aromatic comp. (vii)



[C-3] Other: Aromatic comp. (viii)




[C-3] Other: Aromatic comp. (ix)




[C-4] Other: Ring comp. (i)


C3 ring



cockroach
(M sex phe.)




scarab beetle
(F sex phe.?)




butterfly (M sex phe.)

C4 ring





burrowing bug
(gland secretion)




cockroach (M sex phe.)

furaneol




ship-timber beetle
(F sex phe. ?)


biprorulure




stink bug (M sex phe.)




hide beetle
(F sex phe.)



parasitoid wasp, honey
bee (gland secretion)




scarab beetle (M sex phe.,
M aggregation phe.)
rove beetle, thrips (allomone)
butterfly (M scent secretion)




rove beetle (allomone ?)
parasitoid wasp (gland secretion)

buibuilactone




scarab beetle (F sex phe.)

japonilure




scarab beetle (F sex phe.)


desmolactone




parasitoid wasp (M aggregation phe.)




longhorn beetle (F sex phe.)




scarab beetle (F sex phe.)




ant (secretion), stem sawfly (F sex phe.)




parasitoid wasp (M sex phe.)



butterfly (M sex phe.)







fruit fly (M sex phe.?)





















harvestman (allomone)

[C-4] Other: Ring comp. (ii)

C4 ring




C5 ring




[C-4] Other: Ring comp. (iii)


C6 ring




grasshopper
(aggregation phe.)





butterfly (F sex phe. ?)





solitary wasp (F sex phe.)




sap beetle (anti-
aphrodisiac phe. ?)



pyralid moth (larva trail phe.)




ant (gland secretion)




parasitoid wasp (gland secretion)

C7 ring
chalcogran




bark beetle
(aggregation phe.)



mining bee
(gland secretion)



C9 ring

phoracantholide I




longhorn beetle (allomone ?)

phoracantholide J




termite (queen recognition ?)

olean




fruit fly (F sex phe.)




fruit fly
(F sex phe.)

[C-4] Other: Ring comp. (iv)


C11 ring




C12 ring



C13 ring



C15 ring



[C-4] Other: Ring comp. (v)

C18 ring




sweat bee (gland secretion,
F sex phe., queen phe.)




wasp (trail phe. ?)

C20 ring



sweat bee (gland secretion,
F sex phe., queen phe.)
mining bee, plasterer bee
(gland secretion)

C22 ring



sweat bee (gland secretion,
F sex phe., queen phe.)
plasterer bee (gland secretion)




sweat bee (gland secretion)

C24 ring




sweat bee (gland secretion,
F sex phe.)
plasterer bee (gland secretion)
termite (allomone ?)





termite (allomone ?)

C26 ring



termite (allomone ?)



termite (allomone ?)

C28 ring



termite (allomone ?)

